Tissue-Engineered Aneurysm Occlusion





UNIVERSITÄ1

Kantonsspital Aarau





























Applicant:

Serge Marbacher, MD, MSc

Neurovascular Research Group, Department of Intensive Care Medicine, Bern University Hospital and University of Bern, 3010 Bern, Switzerland Department of Neurosurgery, Kantonsspital Aarau, 5000 Aarau, Switzerland

Introduction - Background



UNIVERSITÄT


Kantonsspital Aarau







 Endovascular Treatment of small narrow-necked cerebral aneurysms has become an Equivalent Alternative to microsurgical clipping.



 Introduction of Guglielmi Detachable Platinum Coils at the beginning of the 1990's numerous attempts to enlarge field of application from Small-Necked Aneurysms to complex or broad-necked aneurysms.



 The Current Armamentarium includes bioactive coated HydroCoils, three-dimensional coils, liquid embolic agents (Onyx), balloon remodeling techniques, micro stents, and flow diverters.

Introduction - Objective




UNIVERSITÄT

Kantonsspital Aarau







 Many Unsolved Problems: Coils: persisting neck remnants, high rates of recanalization. Stents: implant migration, disturbance of adjacent vessels, lifelong anticoagulation, and in-stent stenosis.



 Trend toward of biologically Inert Embolization Materials (Onyx, HydroCoil) is Irrational: aneurysm filled with foreign material, no biological effect, holds aneurysm wall apart, exerts pressure on the wall itself, and actually Interferes with Aneurysm Healing.



• In the future, the focus will be on the **Biological Activity** of the endovascular device. **Go Organic**, complete aneurysm occlusion **Tissue Engineered Reconstruction** of the affected vasculature.

Methods – Ingredients













Fibrin Glue will serve as Biomatrix for substances and cells. High concentration of components and fibrinolysis inhibitor (aprotinin) results in **Delayed Degradation**.



Fibroblasts, Smooth Muscle Cells, Endothelial Cells in combination with growth factors. Cell suspension is incubated with a Fluorescent Cell Marker.



 Mix of Biomatrix, Cells, and Growth Factors as a Biologically **Active Embolization Material** will be used to occlude venous pouch sidewall aneurysms in rats.

Outlook – and Challenges



UNIVERSITÄT

Kantonsspital Aarau









Fibrin Glue






Cell Culture



Flow Dynamics











Architecture



